

The logo for Agile Days, consisting of a blue speech bubble shape containing the text 'ag;|e days' in white. The 'g' has a semicolon and a vertical bar through it, and the 'e' has a vertical bar through it.

ag;|e
days

Чеклисты для всех-всех-всех

Атлыгина Юлия

QA Lead, ALM Works

КТО я?

- Юля
- QA Lead @ ALM Works
- Люблю кофе
- Предпочитаю среды
понедельникам



Примеры
инструментов



Что такое
чеклисты?



доклад



Где их
используют?



Как они
помогают в
тестировании?



Как их писать?

ЧЕКЛИСТ

Определения в Интернете

список пунктов для выполнения, товаров для покупки, параметров конечного продукта при постановке задачи, и т.п. Чеклист является наиболее простым и удобным воплощением любых стандартов управления, позволяющим не упускать значимых элементов осуществляемого действия.

<http://improvement.ru/glossary/gloss03.shtm>

Где их используют?

- ✓ Авиация
- ✓ Медицина
- ✓ Строительство
- ✓ Бизнес
- ✓ И любые другие активности 😊



ENGINE FAILURE DURING FLIGHT

• Airspeed 68 KIAS

FLY THE AIRPLANE!

• Fuel Shutoff Valve ON (IN)

• Fuel Selector BOTH

• Auxiliary Fuel Pump ON

• Mixture RICH

• Ignition Switch BOTH

Типы чеклистов

1
2
3



сдела [Intriguing] ал - отметил

менту"

- ✓ Описываем результат
- ✓ Больше свободы
- ✓ Больше мотивации

«Правила» написания

- ✓ Четкие и короткие фразы
- ✓ Атомарные пункты
- ✓ Немного пунктов (до 20)
- ✓ Если пишем для нулевого уровня, используем "Прочитал-сделал"
- ✓ Стараемся использовать «Сделал-отметь»

Чеклисты в ИТ

- ✓ Старт проекта
- ✓ Собеседования
- ✓ Тестирование
- ✓ Definition of Done
- ✓ Подготовка документов
- ✓ Доставка релизов

Usability checklist

✓ Catch common usability problems before user testing

USER EXPERIENCE

- Personalized features.** Currency, language, country specific deals, taxes, or delivery options are changed based on user's location. IP-based geolocation is not enabled without user's permission.
- Registering provides value to users.** For example a "Free Trial" button communicates a clear benefit, but a "Register" button doesn't. Unnecessary registration is avoided.
- Transparent pricing.** Prices are clearly displayed. There are no hidden costs or surprises in the terms.
- Pages don't refresh automatically.** Users can get confused if new content is uploaded suddenly, for example on news websites.
- Sample content.** For example there is a sample newsletter next to a newsletter sign up form.

HOMEPAGE

- Clear call for action.** Users know what to do next and why it benefits them. They understand the value proposition and purpose of the site.
- First impression.** The homepage creates a positive first impression and supports conversion.
- Logged in user's name is displayed on the site.** e.g. "Hello, Charles", not "Hello, Sir".
- Major changes to the site are announced on the homepage.** For example changes in delivery policy or website downtimes.
- Company location and contact information** is easily accessible from the homepage.
- There is a privacy policy,** in case the site gathers information about users.

Menu

Web Developer Checklist

[Get the Chrome extension](#)

Best practices

- Fix broken links ▼
[W3C link checker](#)
[iWebTool Broken Link Checker](#)
- Spelling and grammar ◀
- Check website in all browsers ◀
- Decide on www-subdomain ◀

Mobile

- MobileOK score of 75+ ◀
- Use 'viewport' meta-tag ◀
- Use correct input types ◀
- Manual check using emulators ◀
- Test using real devices ◀

Analytics

- Uptime monitoring ◀
- Traffic analysis ◀

Usability

- HTML5 compatibility check ◀
- Custom 404 page ◀
- Favicon ◀
- Use friendly URLs ◀
- Print-friendly CSS ◀

Optional:

- Add search feature ◀
- Environment Integration ◀

Semantics

- Add meaning with Microdata ◀
- Check the semantics ◀

SEO

- SenSEO score of 85+ ◀
- Google Rich Snippets ◀
- robots.txt ◀
- XML sitemap ◀

Accessibility

- Accessibility validation ◀
- Color contrast ◀
- WAI-ARIA Landmarks ◀

Security

- Follow best practices ◀
- Cross-site scripting ◀
- Cross-site request forgery ◀

Optional:

- Secure connection (SSL) ◀
- HTTP Strict Transport Security ◀
- Enable Content Security Policy ◀

Social Media

- Open Graph protocol ◀
- Twitter Cards ◀
- Facebook Insights ◀
- Google+ ◀







Чеклисты в тестировании

- ✓ Пишутся быстрее, чем тест кейсы
- ✓ Обеспечивают большее покрытие, чем тест кейсы
- ✓ Читаются легче, чем тест кейсы
- ✓ Добавляют творчество в работу тестировщиков
- ✓ Если написаны в формате «прочитал – сделал» - подходят и для новичков
- ✓ Можно показывать заказчикам (**кроме UAT**)
- ✓ Хватит уже требовать от своих тестировщиков тест-кейсы 😊





[База чеклистов](#)



Примеры инструментов






Checklist      julik 

Sanity test

 Close
 Delete
 Print
 Share
All Items ▾

- Install update
- Install new   
- confirm item? Structure: Name, Sharing
- Add issues from different projects
- Overview Structure board
- Collapse/Expand issue
- rearranging (darg&drop)
- Add field into the grid

Checkvist

Filter or search



Lists ▾

Due

Tags

Julia ▾



shared (public)



notifications

more actions ▾



Checklists Base :)

▶ General ideas

▶ Registration/login

Ideas for login <http://www.ministryoftesting.com/wp-content/uploads/2009/12/crowdsourcetestideas-loginscreen.pdf>

login mind map <http://www.bettertesting.co.uk/content/wp-content/uploads/2011/09/login-test-ideas.png>

Sign Up http://wiki.software-testing.ru/%D0%A7%D0%B8%D1%82-%D0%BB%D0%B8%D1%81%D1%82_%D1%80%D0%B5%D0%B3%D0%B8%D1%81%D1%82%D1%80%D0%B0%D1%86%D0%B8%D0%B8_%D0%BE%D1%82_%D0%90%D0%BB%D0%B5%D0%BA%D1%81%D0%B5%D1%8F_%D0%9B%D1%83%D0%BF%D0%B0%D0%BD%D0%B0

▶ Web

Enter Add below

Alt+Enter Add above

Shift+Enter Add sub-item

Space Complete/reopen task

Shift+Space Invalidate task

F2/ee Edit

Del Delete

aa Actions menu

|| Go to another list

Hold down Shift Drag and drop

Sitechco

[На главную](#)
[Проекты](#)
[Настройки](#)
[Справка](#)

Дашборд

Чек-листы

Отчеты

Требования

Тест-план

Задачи

Test > Чек-листы > Запустить "test1"

⏸
⏹
☑

Test

ПРОЙДЕННЫЕ
 НЕ ПРОЙДЕННЫЕ
 ВСЕ

Приоритет

С ТРЕБОВАНИЯМИ
 БЕЗ ТРЕБОВАНИЙ
 ВСЕ

test1

ghhe

КОММЕНТАРИЙ

СБОРКА

1.1
▼
+

ОКРУЖЕНИЕ

spb environment
▼
+

ТЕСТИРОВЩИК

Юлия
▼

📁 **Группа тестов**
📄 2

Описание группы тестов

НОМЕР	ПРОВЕРКА	ОЖИДАЕМЫЙ РЕЗУЛЬТАТ	КОММЕНТАРИЙ	?	РЕЗУЛЬТАТ
test 1	fnsfgnf	xfhgnmfghn		✓	✓ ✗ 🚫 🔒 NA <small>Список багов</small>
test 2	gzfghgnhsr	fgnfgsfn		NA	✓ ✗ 🚫 🔒 NA <small>Список багов</small>

«Лаборатория качества» © 2010
Simply Test Check Cooperate

 Текущая версия: 140703

Результаты предыдущего выполнения чек-листа ✕

СБОРКА: 1.1

ОКРУЖЕНИЕ: spb environment

ТЕСТИРОВЩИК: Юлия

ДАТА: 23.08.2011 12:27:55

ВСЕ
ПОКАЗАТЬ 5
◀ ПРЕД
СЛЕД ▶



testPAD
SCRIPT
EDIT
REPORTING
HELP
julik@atlygin.com julik

Pass 166 Fail 2 Blocked 1 Tested 171/385 (44%)

Structure **Compatibility with JIRA**

	1	2.1	4	5	6	7
number	1	2.1	4	5	6	7
tester	Julik	anyone	anyone	anyone	anyone	anyone
date	16 Dec 2013	12 Feb 2014	29 Jan 2014			
build	2.5.3	2.5.3	2.6			
JIRA vers.	6.1.5	6.2m05	6.1.7			

new test run +

id	description	1	2.1	4	5	6	7
0044	JIRA 6.1.5 specific						
0003	User Profile(assign, structure creator)	✓†	✓	—			
0004	TEST IN IE8, IE9	✓	✓	✓			
0005	test JQL, SJQL in IE8, IE9	✓†	✓HU-1463	—			
0006	Firefox after back button (search for issues, issue page)	✓	—	—			
0007	Issue list view after back: test Structure to the issue navigator and back	✓HU-1463	—	—			
0008	custom list view search	✓	✓	—			
0009	Compact view mode (IE8, IE9, IE10, IE11)	✓†	✓	—			
0010	editing summary via pencil (chrome!)	✓HU-1600	✓HU-1600	—			
0011	columns for subtasks on issue page	✓	—	—			
0012	IE8 - inline editing	✓HU-1600	—	—			
0013	save JIRA filters	✓	✓	—			
0014	radio buttons custom fields	✓	✓	—			
0015	multi select custom field (open)	✓	✓	—			
0080	JIRA 6.1.7 specific						
0081	release version (JIRA Administration > System > User Interface > Look and Feel)			✓	—		

TESTING RUN 1 close ESC

Tested 44/64 (69%) Pass 44 Fail 0 Blocked 0

CURRENT TEST show test notes

Issue list view after back: test Structure to the issue navigator and back

COMMENTS

BUG TRACKING (use settings to make this a link)

Pass ✓
Fail ✗

Blocked
Query
eXclude

AUTO ADVANCE
visiting untested tests ▼

clear
previous
next

Structure.Testy

- ✓ Чеклисты внутри JIRA, не нужно менять контекст
- ✓ Взаимосвязь тестов и задач на разработку
- ✓ Быстро создание задач
- ✓ Иерархия

2.14 Larks Testing

TP	Key	Summary	Assignee	b.2764_Chrome	Larks 2.14
	JC-2087	Lower-case text in message error	Unassigned		
	JC-2031	Q&A voting for questions and answers	Andrey Pancheshenko	65	9
	JC-2090	Wrong insert of external link in block	Unassigned		
	JC-2030	Light bulb next to the topic name	Vlad Romanenko		
	JC-2029	Q&A Create/Edit/Delete Answers	Alexandr Muzhichok	52	4 3
	QA-1870	Q&A Answers	Unassigned	52	4 3
	QA-1872	Q&A Answers Permissions	Unassigned	18	1 1
	QA-1869	User with CREATE permission	Unassigned	PASSED	PASSED
	QA-1895	User with CREATE permission	Unassigned	PASSED	PASSED
	QA-1892	Duplicate - User with CREATE permission	Unassigned	SKIPPED	PASSED
	QA-1896	User without CREATE permission	Unassigned	PASSED	PASSED
	QA-1898	User with EDIT_OTHER permission	Unassigned	PASSED	PASSED
	QA-1897	User with EDIT_OTHER permission	Unassigned	PASSED	PASSED
	QA-1999	User without EDIT_OTHER permission	Unassigned	PASSED	PASSED
	QA-1902	User with EDIT_OTHER permission	Unassigned	PASSED	

Test Team project / QA-1960

View - sent private message

Admin More Actions Execute

Export

Details

Type: Test

Status: OPEN (View Workflow)

Priority: Major

Resolution: Unresolved

People

Assignee: Unassigned

Assign to me

Reporter: Natalia Boryakova

Votes: 0 Vote for this issue

Watchers:

Рассказывайте нам о
ваших предложениях и
наших багах



<https://jira.almworks.com>



Пишите письма:
ja@almworks.com

Подписывайтесь на наш канал



[ALMWorksChannel](https://www.youtube.com/ALMWorksChannel)

