



SYSML AS A COMMON INTEGRATION PLATFORM FOR **CO-SIMULATIONS - EXAMPLE OF A CYBER PHYSICAL** SYSTEM DESIGN METHODOLOGY IN GREEN HEATING **VENTILATION AND AIR CONDITIONING SYSTEMS**

Andrey Sadovykh, Head of Research Unit

Alessandra Bagnato and Imran Quadri Softeam Research & Development Division

Paris, France

{firstname.lastname}@softeam.fr

Alie El-Din Mady, Luis Diogo Couto, Stylianos Basagiannis and Miran Hasanagic

United Technologies Research Cen









SYSML AS A COMMON INTEGRATION PLAZE CRM FOR CO-SIMULATIONS - EXAMPLE OF A CYBER PHYSICAL SYSTEM DESIGN METHODOLOGY IN GREEN HEATING VENTILATION AND AR CONLITIONING SYSTEMS

Andrex Sidovykh, Head of Research Unit

Alessandra Bagnato and It an Qua Softeam Research & Vev Joph ant Division

F ris, and

firstname istnal _esofteam.fr


Alie El-Din Mady, Luis Niogo Couto, Stylianos Basagiannis Ind Alian has lagic


United Technologies Research Contention

Cork, Lud

{MadyAA, Coutolal, asagiS, HamnaN} e.uto.com







Senior engineers 650

Architects 250


.Net, JEE, C++, web, BI Architects, urbanists, experts, project managers, project directors








Interacting computing, physical, human elements
Increasingly complex logic ~80% of control software
Error detection and recovery

Collaborative development
Diverse disciplines cultures,
abstractions, formalisms typically
tackled separately
Need for design space exploration















Functional Mock-up Interface


define interfaces and packaging of simulators

We propose SysML as a language to define orchestrations of cosimulations on the system level

FMI and co-simulation configuration are generated

Co-simulation orchestration engine executes test scenarios.





- 1. Direct link with requirements models
- 2. Overview of all sub systems
- 3. Actionable systems models
- 4. Testing on the system level

```
iveOrder="0" canRunAsynchronuously="false" canBeInstantiatedOnlyOncePerProcess="true" canNotUseMemoryManagementFunctions=
                                                                                                       <DefaultExperiment startTime="0.0" stopTime="12.0" stepSize="0.01" />
                                                                                    <ModelVariables>
                     generation
                                                                                     <ScalarVariable name="FlowSource.p.p" valueReference="9" variability="continuous" causality="local">
                                                                                       <Real />
                                                                                      </ScalarVariable>
                                                                                     <ScalarVariable name="FlowSource.p.phi" valueReference="7" variability="continuous" causality="local">
                                                                                      <ScalarVariable name="FlowSource.phi" valueReference="0" description="flow rate" variability="tunable" causality="parameter">
                                                                                      <ScalarVariable name="FlowSource.inflow" valueReference="8" variability="continuous" causality="local">
                                                                                      <ScalarVariable name="tank1.Tank.p.e" valueReference="9" variability="continuous" causality="local">
© SOFTEAM Cadextan 2016 - Confidentiel
```



Buildings are responsible for 40% of energy consumption and 36% of EU CO2 emissions




- 1. Models of large-scale, open, diverse data integration
- 2.... coupled with models of physics
- 3. Need to model learning behaviour
- 4. Possible integration of models of human behaviour

Experiment -step towards "green" buildings


Optimise

User comfort
Energy consumption




Software:

- Discrete
- Complex logic



Physics:

- Continuous
- Numerical




1. More accurate way to calculate building performance i.e. comfort and energy consumption.

Energy consumption for fan movement

Energy consumption for the CPU of the FCU microcontroller


Water flow through the coil

2.Step forward in accurate design of green buildings





INTO-CPS: ONE MORE THING













HTTP://INTO-CPS.AU.DK/









Andrey Sadovykh

SOFTEAM | ModelioSoft | e-Citiz andrey.sadovykh@softeam.fr